

MİMARİ KATALOG

ARCHITECTURAL CATALOGUE

Aluminyum Kapı Pencere ve Giydirme Cephe Sistemleri
Aluminium Window Doors and Facade Systems



Rescara Sistem
Profil Detayları



RW46

RESCARA SİSTEM

RESCARA SYSTEM

Aluminyum Kapı Pencere ve Giydirme Cephe Sistemleri
Aluminium Window Doors and Facade Systems

01



02

03

04

05

06

07


08

09

10



KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm ⁴	Jyy cm ⁴	L m	
R46 F 01	0,827	8,533	5,419	6	
R46 F 02	1,003	11,918	18,074	6	
R46 F 03	0,907	9,939	8,264	6	
R46 F 05	0,914	9,556	8,853	6	



01

02

03

04

05





06

07

08

09

10




Nr		L m	KESİM ÖLÇÜSÜ CUTTING SIZE	AKS. KODU ACS. CODE
R46 F 01	10856			
R46 F 03	10891	25 L 51 (10887)	39,3 mm	124 L 51
R46 F 05	10908			
R46 F 02	10857	25 L 52 (10888)	36,7 mm	122 L 52




KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm ⁴	Jyy cm ⁴	L m
R46 M 01	0,975	7,752	8,326	6
R46 M 02	1,128	9,905	21,308	6
R46 M 03	1,019	9,241	20,224	6


R46 M 01



R46 M 03






R46 M 02





KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	L m
R46 V 01	1,011	11,784	9,210	6
R46 V 02	1,190	15,826	26,390	6
R46 V 05	1,315	19,086	46,297	6




Nr		L m	KESİM ÖLÇÜSÜ CUTTING SIZE	AKS. KODU ACS. CODE
R46 V 01	10858	25 L 51 (10887)	39,3 mm	124 L 51
R46 V 02	10859	25 L 52 (10888)	36,7 mm	122 L 52
R46 V 05	10973	25 L 04 (2211)	36,7 mm	122 L 04




KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	L m
R46 V 03	1,204	15,071	37,926	6
R46 V 04	1,204	14,263	37,934	6

R46 V 03



R46 V 04



Nr



L m


KEŞİM ÖLÇÜSÜ
CUTTING SIZEAKS. KODU
ACS. CODE

R46 V 03	10860	25 L 04 (2211)	30,7 mm	177 L 04
R46 V 04	10861	25 L 04 (2211)	30,7 mm	177 L 04




KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	L m
R46 K 01	1,353	---	---	6
R46 A 02	0,825	---	---	6
R46 A 03	0,473	---	---	6
25 I 04	0,172	---	---	6


R46 K 01




R46 A 02 (BİNLİ)




R46 A 03 (HEMYÜZ)



25 I 04 (TOZ BOYALI İÇİN)





25 I 04 (ELOKSALLI İÇİN)






KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	L m
R46 A 04	0,229	---	---	6
R46 A 07	0,474	---	---	6
R46 A 12	0,686	---	---	6


R46 A 04



R46 A 07







R46 A 12







KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm ⁴	Jyy cm ⁴	L m ↔
R46 A 09	0,417	---	---	6
1185	0,556	---	---	6
46 D 01	0,902	---	---	6

R46 A 09



46 D 01



01

02

03

04

05

06

07

08



09

10





KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm ⁴	Jyy cm ⁴	L m ↔
46 D 02	0,794	----	----	6
46 A 10	0,398	----	----	6
46 A 08	0,354	----	----	6



46 D 02



46 A 10












46 A 08





KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m
25 G 21	0,196	6	25 G 12	0,269	6
25 G 28	0,215	6	25 G 13	0,277	6
25 G 11	0,219	6	25 G 14	0,281	6
25 G 10	0,225	6	25 G 15	0,282	6
25 G 09	0,227	6			



01

02

03

04

05

06

07

08



09

10



CAM LİSTESİ (GLASS TABLE)

B, CAM ÇİTASI GLAZING BEAD	C, İÇ CAM FİTİLİ GLASS GASKET (IN)	A, CAM KALINLIĞI GLASS THICKNESS	D, DIŞ CAM FİTİLİ GLASS GASKET (OUT)
25 G 15	01.17.04	4 mm	01.16.02
25 G 15	01.17.03	5 mm	01.16.02
25 G 14	01.17.04	6 mm	01.16.02
25 G 14	01.17.03	7 mm	01.16.02
25 G 13	01.17.04	8 mm	01.16.02
25 G 13	01.17.03	9 mm	01.16.02
25 G 12	01.17.04	10 mm	01.16.02
25 G 12	01.17.03	11 mm	01.16.02
25 G 09	01.17.04	12 mm	01.16.02
25 G 09	01.17.03	13 mm	01.16.02
25 G 10	01.17.04	14 mm	01.16.02
25 G 10	01.17.03	15 mm	01.16.02
25 G 11	01.17.04	16 mm	01.16.02
25 G 11	01.17.03	17 mm	01.16.02
25 G 28	01.17.05	18 mm	01.16.02
25 G 28	01.17.04	19 mm	01.16.02
25 G 21	01.17.05	20 mm	01.16.02
25 G 21	01.17.04	21 mm	01.16.02
25 G 21	01.17.03	22 mm	01.16.02






KÖŞE TAKOZLARI VE ORTA KAYIT BAĞLANTI (CORNER CLEAT AND MULLION CONNECTION CLEAT)

PROFİL KODU (PROFILE CODE)	25 L 03	25 L 04	25 L 51	25 L 52	25 J 13
FABRİKA KODU (FACTORY CODE)	2021	2211	10887	10888	10959
AĞIRLIK (WEIGHT)	4,315 kg/m	7,711 kg/m	4,447 kg/m	4,377 kg/m	0,950 kg/m
ÇİZİM (DRAWING)					

Nr		L m	KESİM ÖLÇÜSÜ CUTTING SIZE	AKS. KODU ACS. CODE
R46 F 01	10856	25 L 51 (10887)	39,3 mm	124 L 51
R46 F 03	10891			
R46 F 05	10908			
R46 F 02	10857	25 L 52 (10888)	36,7 mm	122 L 52
R46 V 01	10858	25 L 51 (10887)	39,3 mm	124 L 51
R46 V 02	10859	25 L 52 (10888)	36,7 mm	122 L 52
R46 V 03	10860	25 L 04 (2211)	30,7 mm	177 L 04
R46 V 04	10861			
R46 V 05	10973	25 L 04 (2211)	36,7 mm	122 L 04
R46 M 03	10960	25 L 03(2021)	37,1 mm	113 L 03

Nr		L m	KESİM ÖLÇÜSÜ CUTTING SIZE	AKS. KODU ACS. CODE
R46 M 03	10960	25 J 13 (10959)	36,9 mm	307 J 13



01

02

03

04

05

06

07

08

09

10



01

02

03

04

05


06



07

08

09

10





01

02

03

04

05





06


07

08


09

10

İÇE AÇILIM KAPISI
(BİNİLİ)İÇE AÇILIM KAPISI
(BİNİLİ)



**İÇE AÇILIM KAPI
(BİNİLİ)**





01

02

03

04

05

06

07



08

09



10



İÇE AÇILIM KAPI
(HEMYÜZ)

10

İÇE AÇILIM KAPI
(HEMYÜZ)

11





01

02

03

04

05


06

07


08




09

10



DIŞA AÇILIM KAPISI
(HEMYÜZ)





01

02

03

04

05



06



07

08

09

10





01

02

03

04

05

06

07

08

09

10

01

02

03

04

05



06

07

08

09

10





	01.16.02 DIŐ CAM FİTİLİ GLAZING GASKET (OUTSIDE) EPDM 90 gr/m			01.19.06 ÇİTA KANAL FİTİLİ ADAPTER GASKET EPDM 71 gr/m	
	01.17.03 İÇ CAM FİTİLİ GLAZING GASKET (INSIDE) EPDM 46 gr/m			01.19.21 TOZLUK FİTİLİ CENTRAL GASKET EPDM 130 gr/m	
	01.17.04 İÇ CAM FİTİLİ GLAZING GASKET (INSIDE) EPDM 55 gr/m			04.02.02 TAHLIYE KAPAĞI DRAINAGE COVER	
	01.17.05 İÇ CAM FİTİLİ EPDM 60 gr/m			04.06.34 ADAPTÖR KAPAĞI ADAPTER CAP SİYAH BLACK	UYGULANILAN PROFİL: R46 A 02 USE WITH: R46 A 02
	01.18.03 BİNİ FİTİLİ ACOUSTICAL GASKET EPDM 53 gr/m			04.06.35 ADAPTÖR KAPAĞI ADAPTER CAP SİYAH BLACK	UYGULANILAN PROFİL: R46 A 02 USE WITH: R46 A 02
	01.18.04 İÇ BİNİ FİTİLİ ACOUSTICAL GASKET EPDM 41 gr/m			07.05.12 İSPANYOLET KOL ÇİFT DİLLİ WINDOW HANDLE SİYAH-BEYAZ-GRİ BLACK-WHITE-GREY	
	01.18.19 BİNİ FİTİLİ ACOUSTICAL GASKET EPDM 34 gr/m			07.06.60. ÇİFT AÇILIM MEKANİZMASI TILT AND TURN MECHANISM SİYAH-GRİ BLACK-GREY	GENİŞLİK: 570~1000 mm WIDTH: 570~1000 mm YÜKSEKLİK: 400~1200 mm HEIGHT: 400~1200 mm

01

02

03

04

05

06

07

08

09

10



01

02

03

04

05

06

07








08

09

10

	07.07.02 VASİSTAS MAKAS VASİSTAS ACCESSORY SİYAH-BEYAZ-GRİ BLACK-WHITE-GREY			15.01.08 PENCERE MENTEŞESİ WINDOW HINGE SİYAH-BEYAZ-GRİ-ELOKSAL BLACK-WHITE-GREY-ANODISED	
	07.08.01 VASİSTAS MANDALI VASİSTAS SPRING SİYAH-BEYAZ BLACK-WHITE			15.02.07 KAPI MENTEŞESİ DOOR HINGE SİYAH-BEYAZ-GRİ BLACK-WHITE-GREY	
	07.09.01 AYARLI PİM KARŞILIĞI LOCK PLATE			15.02.09 KAPI MENTEŞESİ DOOR HINGE SİYAH-BEYAZ-GRİ-ELOKSAL BLACK-WHITE-GREY-ANODISED	
	07.13.02 ORTA GÖBEK PİMİ CENRTAL LOCK PIN			17.02.01 KAPI ALTI FIRÇASI BRUSH 1 Mt	
	07.13.03 TİJ PİM LOCK PIN			18.01.01 MAKARALI KİLİT MORTISE LOCK (with roller) STANDART STANDARD	
	07.14.04 KAPI KOLU(İTHAL) DOOR HANDLE SİYAH-BEYAZ-GRİ BLACK-WHITE-GREY			18.01.02 DİLLİ KİLİT MORTISE LOCK STANDART STANDARD	
	15.01.08 KÖŞE ÇAVUŞU CORNER PIECE ÇELİK STEINLESS STEEL			18.02.11 DİLLİ KİLİT KARŞILIĞI FOREND SİYAH-BEYAZ-ELOKSAL BLACK-WHITE-ANODISED	



	18.02.12 MAKARALI KİLİT KARŞILIĞI FOREND (for lock with roller) SİYAH-BEYAZ-ELOKSAL BLACK-WHITE-ANODISED										
	18.02.20 DİLLİ KİLİT KARŞILIĞI FOREND SİYAH-BEYAZ-ELOKSAL BLACK-WHITE-ANODISED										
	18.02.21 MAKARALI KİLİT KARŞILIĞI FOREND (for lock with roller) SİYAH-BEYAZ-ELOKSAL BLACK-WHITE-ANODISED										
	18.03.01 KAPI ALT-ÜST KİLİTLEME BOLT LOCK										
 <table data-bbox="178 1515 313 1561"><tr><th>A</th><th>B</th><th>L</th></tr><tr><td>26</td><td>32</td><td>68</td></tr></table>	A	B	L	26	32	68	18.04.03 BAREL CYLINDER KROM-NİKEL CHROME-NICKEL				
A	B	L									
26	32	68									
	18.05.02 BAREL AYNASI CYLINDER COVER SİYAH-BEYAZ BLACK-WHITE										

01

02

03

04

05

06

07

08

09

10

RESCARA SİSTEM

RESCARA SYSTEM

Aluminyum Kapı Pencere ve Giydirme Cephe Sistemleri
Aluminium Window Doors and Facade Systems

01



02

03

04

05

06

07

08

09

10